


HAMOTEC


Room partition profile and tubular rail systems






Profil.


Room partition profile and tubular rail systems




HM-20416 «maxi» / «sixo»
Seite / page 1



HM-20420 Rail-Line «maxi» / «sixo»
Seite / page 9



HM-20428 «maxi» / «sixo»
Seite / page 15




HM-20450 «maxi» / «sixo»
Seite / page 21



Profil.

Railrod multifunctional tubular rail system 16 mm with "maxi"/"sixo" inner channel




Aluminium, chrome matt


Aluminium, white, RAL 9016

Stock lengths of 6 m

"maxi"/"sixo" accessories



Installation accessories



Services

Made-to-measure including opening/insert



Opening / glider entry is only possible with "midi" punch head.

Bending service


View is always from above with the channel below.






Radius: 140 mm
90° angle or angle of your choice







Installation


Wall installation 1- to 4-channel













Turn aluminium tubular rail around 90°




	Article description	Order no.
	16 mm aluminium tubular rail with inner channel for "maxi"/"sixo" curtain accessories	
	Aluminium, chrome matt	20416.15
	Aluminium, white, RAL 9016	20416.20
	Stock lengths of 6 m	Made-to-measure + 20%
	Side cap for tubular rail 16 mm	
	Plastic, chrome matt	21540.15
	Plastic, white	21540.20
	"Long" end piece for tubular rail	
	Plastic, chrome matt	21546.15
	Plastic, white	21546.20
	"Short" end piece for tubular rail	
	Plastic, chrome matt	21547.15
	Plastic, white	21547.20
	"Cone" end piece for tubular rail	
	Plastic, chrome matt	21549.15
	Plastic, white	21549.20

	Article description	Order no.
	<p>“Jet” end piece for tubular rail</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21548.15</p> <p>21548.20</p>
	<p>Wall bearing WL416</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21575.15</p> <p>21575.20</p>
	<p>Cover for sealing open tube notches Transparent plastic</p>	<p>21578.25</p>
	<p>Profile connector V416 plastic</p>	<p>21545</p>
	<p>End intermediate locking device transparent plastic</p>	<p>25224.25</p>
	<p><i>Clic «sixo»</i> “sixo” cross-bracket glider HC3 for profile channel width 5.8-6.2 mm</p>	<p>25503</p>
	<p><i>Clic «sixo»</i> “sixo” longitudinal bracket glider HC4 for profile channel width 5.8-6.2 mm</p>	<p>25504</p>
	<p>Wall bracket 6 cm for 1 tubular rail</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21551.15</p> <p>21551.20</p>

	Article description	Order no.
	<p>Wall bracket 7.5 cm for 2 tubular rails</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21552.15</p> <p>21552.20</p>
	<p>Wall bracket 9.5 cm for 3 tubular rails</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21553.15</p> <p>21553.20</p>
	<p>Wall bracket 11.5 cm for 4 tubular rails</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21554.15</p> <p>21554.20</p>
	<p>Wall bracket extension 3 cm</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21563.15</p> <p>21563.20</p>
	<p>Wall bracket extension 4.5 cm</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21564.15</p> <p>21564.20</p>

	Article description	Order no.
	<p>Wall bracket extension 6 cm</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21566.15</p> <p>21566.20</p>
	<p>Wall bracket extension 6 cm, with 1 tube notch</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21571.15</p> <p>21571.20</p>
	<p>Wall bracket extension 6 cm, with 2 tube notches</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21572.15</p> <p>21572.20</p>
	<p>Wall bracket extension 6 cm, with 3 tube notches</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21573.15</p> <p>21573.20</p>
	<p>Ceiling bracket 13 cm, with 3-hole base for 1 tubular rail Ceiling gap: min. 5 cm, max. 13 cm</p> <p>Plastic, chrome matt</p> <p>Plastic, white</p>	<p>21543.15</p> <p>21543.20</p>


	Article description	Order no.
	Ceiling bracket, flat, 13 mm for 1 tubular rail, suitable for multiple attachment	
	Plastic, chrome matt	21544.15
	Plastic, white	21544.20

Bending service**Plan view** (seen from above). State room side.**Radii:** 140 mm


95.20416.1

90° angle or angle of your choice

Multiplex tubular rail system 20 mm, Rail Line with "maxi"/"sixo" channel





Aluminium, natural anodised
Aluminium, white, RAL 9016
Stock lengths of 6 m



Services Curved designs, made-to-measure including opening/insert

Bending service **Plan view** (seen from above). State room side.



Radius: 150 mm
90° angle or angle of your choice

Installation

Step 1
Insert bracket connector
and rotate around 90 degrees



Step 2
Push tube with connector
onto the profile




Step 3
Rotate bracket profile around 90
degrees





Wall installation with Rail-Line bracket














Wall fixing



Ceiling fixing



	Article description	Order no.
	20 mm Multiplex tubular rail with "maxi"/"sixo" inner channel	
	Aluminium, natural anodised	20420.10
	Aluminium, white, RAL 9016	20420.20
	Stock lengths of 6 m	Made-to-measure + 20%
	Rail Line tube side cap, plastic	
	Plastic, grey	21418.14
	Plastic, white	21418.20
	Tube end piece, plastic	
	Plastic, aluminium coloured	21417.10
	Plastic, white	21417.20
	Tubular profile holder for ceiling bracket	
	Plastic, aluminium coloured	21416.10
	Plastic, white	21416.20

	Article description	Order no.
	3-hole installation plate for wall-ceiling bracket, metal	21411
	Brass dowel for bracket profile	21412
	Bracket cover for wall-ceiling bracket Plastic, aluminium coloured Plastic, white	21413.10 21413.20
	Bracket profile, can be shortened Aluminium, natural anodised Aluminium, white, RAL 9016, white	21410.12 21410.20
	Bracket-tube connector Plastic, aluminium coloured Plastic, white	21415.10 21415.20
	Side cap for wall bracket Plastic, aluminium coloured Plastic, white	21414.10 21414.20


	Article description	Order no.
--	---------------------	-----------




Rail-Line wall bracket, aluminium, undrilled
including bracket cap, wall cover, installation plate,
brass sleeve, fully assembled

Projection up to

Matt aluminium	7 cm	21431.12
	10 cm	21432.12
	15 cm	21434.12
Aluminium, white	7 cm	21431.20
	10 cm	21432.20
	15 cm	21434.20



Tube connector, white plastic 21956.20



Wall bearing

Plastic, aluminium coloured 21419.10

Plastic, white 21419.20



«sixo»

«sixo» cross-bracket glider HC3 25503
for profile channel width 5.8-6.2 mm



«sixo»

«sixo» longitudinal bracket glider HC4 25504
for profile channel width 5.8-6.2 mm

Bending service


Plan view (seen from above). State room side.



Radius: 150 mm

95.20420.1

Partition profile 28 mm with "maxi"/"sixo" channel




Aluminium, natural anodised


Aluminium, white, RAL 9016

Stock lengths of 6 m

"maxi"/"sixo" accessories



Installation accessories



Services

Made-to-measure including opening/insert

Bending service

View is always from above with the channel below.



Radius: From 200 mm
90° angle or angle of your choice



Non-standard radii and angles as per sketch


Installation instructions, see next page







Opening / glider entry is only possible with "midi" punch head.

Installation


Ceiling installation




- 
1. Attach ceiling bracket
Poser les supports plafond
- 
2. Use an open-ended spanner to turn
Dévisser les supports avec une clé à fourche en tournant vers la gauche et la droite.
- 
3. Longitudinal position
Position longitudinale














Installation









Plan view (seen from above). State room side.



	Article description	Order no.
	Tubular rail system 28 mm, with "maxi"/"sixo" channel	
	Aluminium, natural anodised	20428.10
	Aluminium, white, RAL 9016	20428.20
	Stock lengths of 6 m	Made-to-measure + 20%
	Side cap Plastic, grey Plastic, white	21441.10 21441.20
	Wall bearing Aluminium, natural anodised Aluminium, white, RAL 9016	21442.10 21442.20
	Ceiling bracket Suitable for use with systems HM-20428, HM-20450 galvanised white	21493.06 21493.20
	2-channel ceiling bracket suitable for use with systems HM-20428, HM-20450 galvanised white	21494.06 21494.20

	Article description	Order no.
	Cross-T-profile connector KV428 galvanised metal white metal	 21447 21447.20
	Tube connector, white plastic	21956.20
	Tube connecting bridge, aluminium V428 with screws anodised aluminium white aluminium	 21446.12 21446.20
	Support tube 10 mm aluminium suitable for use with systems HM-20428, HM-20450 anodised aluminium white aluminium	 21470.12 21470.20
	Stock lengths of 3 m	Made-to-measure + 20%
	Ceiling bracket 30 mm "Mini" / bottom part, including sleeve Suitable for use with system HM-20428 Aluminium, silver-coloured Aluminium, white, RAL 9016	 21464.12 21464.20
	Ceiling module 40 x 50 x 40 Suitable for use with systems HM-20428, HM-20450 silver Aluminium, white, RAL 9016	 21462.12 21462.20

	Article description	Order no.
	Open-ended spanner for tightening and loosening ceiling brackets 21460/64 for systems HM-20428, HM-20450 Aluminium, white, RAL 9016	19896
	Eyelet roller with shaft	25287
	Eyelet roller with rotatable eyelet	25288
	Eyelet roller with hook	25289
	“sixo” cross-bracket glider HC3 for profile channel width 5.8-6.2 mm	25503
	“sixo” longitudinal bracket glider HC4 for profile channel width 5.8-6.2 mm	25504

Bending service
Plan view (seen from above). State room side.

Radii: from 200 to 300 mm

95.20428.1
Radii: up to 500 mm

95.20428.2
Radii: up to 1000 mm

95.20428.3

90° angle or angle of your choice


Non-standard radii and angles as per sketch
95.20428.4

Partition profile with "maxi"/"sixo" channel

HM-20450

Cubicle profile for room partitions, flexible module system for doctors' surgeries, hospitals, schools, industry, etc., suitable for use with eyelet rollers.

Profil.Profil.

 Aluminium, natural anodised Aluminium, white, RAL 9016 Stock lengths of 6 m

"maxi"/"sixo" accessories


HC3 SIXO


Installation accessories

Hamotec

Services Curved designs, made-to-measure including opening/insert

Bending service View is always from above with the channel below.

 Radii: from 200 mm
90° angle or angle of your choice




 Non-standard radii and angles as per sketch

Installation instructions, see next page


Installation

Ceiling installation with
1-channel ceiling bracket

Ceiling installation with
2-channel ceiling bracket




1. Attach ceiling bracket
Poser les supports plafond






2. Use an open-ended spanner to turn

Dévisser les supports avec
une clé à fourche en tournant
vers la gauche et la droite.





3. Longitudinal position
Position longitudinale




Installation

Ceiling installation with bracket, bracket for angled ceilings and mini spacer




1. Attach ceiling bracket
Pose les supports plafond




2. Use an open-ended spanner
to turn out bracket to the left &

Dévisser les supports avec
une clé à fourche en tournant
vers la gauche et la droite.




3. Longitudinal position
Position longitudinale
















4. Screw in place






Fixation par vis



Ceiling bracket
Support plafond

	Article description	Order no.
	<p>"maxi" / "sixo" room partition profile</p> <p>Aluminium, natural anodised</p> <p>Aluminium, white, RAL 9016</p>	<p>20450.10</p> <p>20450.20</p>
	<p>Stock lengths of 6 m</p>	<p>Made-to-measure + 20%</p>
	<p>Side cap</p> <p>Plastic, grey</p> <p>Plastic, white</p>	<p>21451.14</p> <p>21451.20</p>
	<p>Wall bearing</p> <p>Plastic, grey</p> <p>Plastic, white</p>	<p>21458.14</p> <p>21458.20</p>
	<p>Ceiling bracket Suitable for use with systems HM-20450, HM-20428</p> <p>galvanised</p> <p>white</p>	<p>21493.06</p> <p>21493.20</p>
	<p>2-channel ceiling bracket Suitable for use with systems HM-20450, HM-20428</p> <p>galvanised</p> <p>white</p>	<p>21494.06</p> <p>21494.20</p>

	Article description	Order no.
	Cross profile connector KV450 galvanised	21457.06
	Profile connector V450 Aluminium anodised	21459.12
	Aluminium, white, RAL 9016	21459.20
	Support tube 10 mm aluminium Suitable for use with systems HM-20450, HM-20428	
	Matt aluminium	21470.12
	Aluminium, white, RAL 9016	21470.20
	Stock lengths of 3 m	Made-to-measure + 20%
	Ceiling bracket 30 mm "Mini" / bottom part, including sleeve Suitable for use with system HM-20450	
	Aluminium, silver-coloured	21460.12
	Aluminium, white, RAL 9016	21460.20
	Ceiling module 40 x 50 x 40 Suitable for use with systems HM-20428, HM-20450	
	Aluminium, silver	21462.12
	Aluminium, white, RAL 9016	21462.20
	Open-ended spanner for tightening and loosening ceiling brackets 21460/64 for systems HM-20428, HM-20450	
	Aluminium, white, RAL 9016	19896

	Article description	Order no.
	Eyelet roller with shaft	25287
	Eyelet roller with rotatable eyelet	25288
	Eyelet roller with hook	25289
	<i>«Sixo»</i> “sixo” cross-bracket glider HC3 for profile channel width 5.8-6.2 mm	25503
	<i>«Sixo»</i> “sixo” longitudinal bracket glider HC4 for profile channel width 5.8-6.2 mm	25504

Bending service

Plan view (seen from above). State room side.



Radii: from 200 to 300 mm

95.20450.1

Radii: up to 500 mm

95.20450.2

Radii: up to 1000 mm

95.20450.3

90° angle or angle of your choice



Non-standard radii and angles as per sketch

95.20450.4