


## Slot curtain profile with "maxi" channel, VS57 standard



Curtain profile for slotting into curtain board, drilled or undrilled.



Aluminium, natural anodised

Aluminium, brown anodised

Aluminium, white, RAL 9016

Aluminium, gold anodised

Stock lengths of 6 m

"maxi" accessories



Installation accessories



Services

Curved designs, cut to fixed dimensions including opening

Bending service

Plan view (seen from above). State room side.





Radii: from 80 mm  
90° angle or angle of your choice



Non-standard radii and angles as per sketch






Installation





Profile drilled approx. every 12 cm Ø 2.5 mm  
Installation with self-centring screws

**Recommendation:**

A 1:1 template is beneficial and helpful for the manufacture of curved designs.





	Article description	Order no.
	<b>"maxi" slot curtain profile</b> Aluminium, natural anodised, <b>undrilled</b>	102.10.UG
	Aluminium, white, RAL 9016, <b>undrilled</b>	102.20.UG
	Aluminium, natural anodised, <b>drilled</b>	102.10
	Aluminium, white, RAL 9016, <b>drilled</b>	102.20
	Aluminium, brown anodised, <b>drilled</b>	102.30
	Aluminium, gold anodised, <b>drilled</b>	102.40
	Stock lengths of 6 m	Made-to-measure + 20%
	<b>Profile connector V2, spring steel</b> bare white	11002 11002.20
	<b>Cover strip, white plastic</b> 25 m rolls	11009.20
	<b>Self-centring screws, galvanised</b> 12 mm 15 mm 18 mm	13001 13003 13005

	Article description	Order no.
<b>Bending service</b>	<b>Plan view</b> (seen from above). State room side.	
	 <b>Radii:</b> from 80 to 200 mm	95102.1
	<b>Radii:</b> up to 500 mm	95102.2
	<b>Radii:</b> up to 1000 mm	95102.3
	90° angle or angle of your choice	
	 <b>Non-standard radii and angles as per sketch</b>	95102.4

## Plan view drawing

**Ordering information**

- The profile is always seen from above with the glide channel at the bottom
- With profiles with clamping bolt assembly, please state room side
- Radii are always understood as being from the inside of the profile
- Curved designs cannot be returned in the event of incorrect dimensions
- Special bends only with 1:1 template

**Dimensions: external and view from above****Dimensions: external and view from above****Dimensions: external and view from above**

Dimension a: End of profile to centre of radius / bend  
 Dimension b: Centre of radius to centre of radius  
 Dimension c: Centre of radius to end of radius

**Dimensions: external and view from above**