



## Curtain profile with "maxi" channel, VS57 standard







Ceiling installation



	Article description	Order no.	
30 mm	"maxi" curtain profile, VS57 standard		
	Aluminium, natural anodised	212.10	
6,3 mm			
	Aluminium, white, RAL 9016	212.20	
	Stock lengths of 6 m		Made-to-measure + 20%
	Installation of clamping bolt, metal	11012	
	including washer		
	<b>Installation of clamping bolt</b> Plastic, white	11019	
	Tradition (Tradition)		
	Profile connector V1, spring steel	11001	
	bare		
	white	11001.20	
	Side cap S212		
	Plastic, grey	11015.14	
	Plastic, white	11015.20	
Bending service	<b>Plan view</b> (seen from above). State room side.		
-		95212.1	
	Radii: from 150 to 200 mm		
	Radii: up to 500 mm	95212.2	
		95212.3	
	Radii: up to 1000 mm		
	90° angle or angle of your choice		
		95212.4	Price - T&M basis
	Non-standard radii and angles as per sketch		




## Plan view drawing




## **Ordering information**

- The profile is always seen from above with the glide channel at the bottom
- With profiles with clamping bolt assembly, please state room side
- Radii are always understood as being from the inside of the profile
- Curved designs cannot be returned in the event of incorrect dimensions
- Special bends only with 1:1 template




Dimensions: external and view from above




Dimensions: external and view from above





Dimensions: external and view from above

Diagram 6



Dimension a: End of profile to centre of radius/bend Dimension b: Centre of radius to centre of radius Dimension c: Centre of radius to end of radius

Dimensions: external and view from above

37