

Curtain profile with "mini" channel








	Aluminium, natural anodised	Aluminium, white, RAL 9016	Stock lengths of 6 m
"mini" accessories			
Installation accessories			
Services	Curved designs, cut to fixed dimensions including opening		
Bending service	Plan view (seen from above). State room side.		
	Radii: from 80 mm 90° angle or angle of your choice	Non-standard radii and angles as per sketch	

Installation

Caution: pay attention to profile position

Ceiling installation with clamping bolt Fixings approx. every 30-40 cm

	Article description	Order no.
	"mini" curtain profile Aluminium, natural anodised	260.10
	Aluminium, white, RAL 9016	260.20
	Stock lengths of 6 m	Made-to-measure + 20%
	Installation of clamping bolt, metal	11071
	Profile connector V60 plastic	11068
	Side cap S260	
	Plastic, grey	11064.14
	Plastic, white	11064.20

Bending service

Plan view (seen from above). State room side.



Radii: from 80 to 200 mm

95260.1

Radii: up to 500 mm

95260.2

Radii: up to 1000 mm

95260.3

90° angle or angle of your choice



Non-standard radii and angles as per sketch

95260.4


Price - T&M basis

Plan view drawing




Ordering information


- The profile is always seen from above with the glide channel at the bottom
- With profiles with clamping bolt assembly, please state room side
- Radii are always understood as being from the inside of the profile
- Curved designs cannot be returned in the event of incorrect dimensions
- Special bends only with 1:1 template




Dimensions: external and view from above



Dimensions: external and view from above



Dimensions: external and view from above



Dimension a: End of profile to centre of radius/ bend
 Dimension b: Centre of radius to centre of radius
 Dimension c: Centre of radius to end of radius
Dimensions: external and view from above